



A GROUP OF SRI LAKSHMI SURGICALS
CHENNAI-99



Care & Comfort



ICU COT DELUXE



ICU 101

Dimension : L : 2000 mm | B : 900 mm | H : 610 to 850 mm

SPECIFICATIONS

- Manual Functions
- Height Adjustment
- Trendelenburg Position & Reverse
- Back Rest Position & Knee Position

SALIENT FEATURES

- Imported ABS Bows
- Imported Flying Type Side Railings
- 4 Liver Systems
- 6" Swivel Castors & Epoxy Powder Coated

ICU COT (IMP Type)

SPECIFICATIONS

- Manual Functions
- Height Adjustment
- Trendelenburg Position & Reverse
- Back Rest Position & Knee Position

SALIENT FEATURES

- Imported ABS Bows
- Imported Side Railings
- 4 Liver Systems
- 6" Swivel Castors & Epoxy Powder Coated



ICU 102

Dimension : L : 2000 mm | B : 900 mm | H : 610 to 850 mm

FOWLER COT (IMP Type)



FWC 103

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm

SPECIFICATIONS

- Manual Functions
- Back Rest on Screw Rod System
- Knee Rest on Screw Rod System
- 2 Liver System

SALIENT FEATURES

- Imported ABS Bows
- Imported Side Railings
- 5" Swivel Castors & Epoxy Powder Coated



5 FUNCTION ELECTRIC COT (IMP - DLX)



ICU-EC 104

SPECIFICATIONS

- Remote System
- Height Adjustment
- Trendelenburg Position & Reverse
- Back Rest Position & Knee Position

5 FUNCTION ELECTRIC COT (IMP)

SPECIFICATIONS

- Remote System
- Height Adjustment
- Trendelenburg Position & Reverse
- Back Rest Position & Knee Position



ICU-EC 105

TRANSPORTATION TROLLEY (IMP)



TT 106

SPECIFICATIONS

- Easy to Carry
- High Load Carrying Capacity
- Longer Functional Life and Compact Design



FOWLER COT (DLX)



FWC 107

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm

SPECIFICATIONS

- Manual Functions
- Back Rest on Screw Rod System
- Knee Rest on Screw Rod System
- 2 Liver System

SALIENT FEATURES

- Plywood Attached S.S Bows
- Powder Coated Side Railings
- Adjustable IV Rod
- Epoxy Powder Coated

FOWLER COT (DLX)

SPECIFICATIONS

- Manual Functions
- Back Rest on Screw Rod System
- Knee Rest on Screw Rod System
- 2 Liver System

SALIENT FEATURES

- Stainless Steel Design Bows
- Imported Type S.S Side Railings
- Epoxy Powder Coated



FWC 108

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm

SEMI FOWLER COT (IMP Type)



SFC 109

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm

SPECIFICATIONS

- Manual Functions
- Head Raising on Screw Rod System
- Single Liver System

SALIENT FEATURES

- Imported ABS Bows
- Imported Side Railings
- 5" Imported Castors
- & Epoxy Powder Coated



SFC 110

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm

SEMI FOWLER COT (DLX)

SPECIFICATIONS

Manual Functions
Head Raising on Screw Rod System
Single Liver System

SALIENT FEATURES

Plywood Attached S.S Bows
Adjustable I.V Rod
Epoxy Powder Coated

HOSPITAL PLAIN COT

SALIENT FEATURES

2" X 1" Plain Structural Pipe Frame
Stainless Steel Bows
Epoxy Powder Coated

PLC 111

Dimension : L : 2000 mm | B : 900 mm | H : 510 mm



ATTENDER COT SINGLE STEP

SALIENT FEATURES

2" X 1" Pipe Frame with M.S Top
Epoxy Powder Coated

ATC 112

Dimension : L : 1880 mm | B : 560 mm | H : 410 mm



ATTENDER COT DOUBLE STEP

SALIENT FEATURES

2" X 1" Pipe Frame
Complete Metal Rack
Epoxy Powder Coated

ATC 113

Dimension : L : 1880 mm | B : 560 mm | H : 510 mm





SCANNING COT



SALIENT FEATURES

- Stainless Steel Bows
- Structural Metal Frame
- Two Sliding Doors
- Epoxy Powder Coated

SC 114

Dimension : L - 1880 mm | B - 550 mm | H - 510 mm

RECOVERY TROLLEY

SALIENT FEATURES

- Head & Height Adjustable
- Detachable S.S Top
- Removable Type S.S Side Railings
- 6" Swivel Castors & Epoxy Powder Coated

TR 115

Dimension : L - 2130 mm | B - 560 mm | H - 560 to 800 mm



STRETCHER HI - LOW

SALIENT FEATURES

- Height Adjustable
- Detachable M.S Top
- Adjustable I.V Rod
- Removable Type S.S Side Railings
- 6" Swivel Castors & Epoxy Powder Coated

TR 116

Dimension : L - 2130 mm | B - 560 mm | H - 560 to 800 mm



STRETCHER TROLLEY DLX

SALIENT FEATURES

- Detachable S.S Top
- Removable Type S.S Side Railings
- 6" Swivel Castors
- Epoxy Powder Coated

TR 117

Dimension : L - 2130 mm | B - 560 mm | H - 800 mm





STRETCHER TROLLEY (S.S)

SALIENT FEATURES

- Complete Stainless Steel
- Detachable Top
- Removable Type Side Railings
- Cylinder Provision
- 6" Swivel Castors & Epoxy Powder Coated

TR 118

Dimension : L : 2180 mm | B : 560 mm | H : 800 mm



STRETCHER TROLLEY

SALIENT FEATURES

- Detachable Top
- S.S Handle
- 6" Swivel Castors & Epoxy Powder Coated

TR 119

Dimension : L : 2180 mm | B : 560 mm | H : 800 mm



EXAMINATION TABLE DLX

SALIENT FEATURES

- Adjustable Head Raising
- Three Drawers & Three Cabinets
- Attached to the Sliding Type Foot Step
- With Mattress
- Epoxy Powder Coated

EXT 120

Dimension : L : 1850 mm | B : 510 mm | H : 850 mm



EXAMINATION TABLE (ORD)

SALIENT FEATURES

- Adjustable Head Raising
- Epoxy Powder Coated

EXT 121

Dimension : L : 1850 mm | B : 510 mm | H : 760 mm





LABOUR COT DELUXE

SPECIFICATIONS

- Manual Head Adjustable Position
- Kinetic Cut Position
- Lithotomy Leg Rest
- IV - Provision
- Leg Side is Sliding Position



SALIENT FEATURES

- Complete Stainless Steel
- Stainless Steel Side Railings
- Patient Grip Handle
- Removable Side Railings
- Attach to Drain Basin

LC DLX 122

Dimension :

L : 1850 mm | B : 710 mm | H : 800 mm





LABOUR COT (ORD)

SALIENT FEATURES

- Complete Stainless Steel
- Lithotomy Provision
- Drain Basin & Bucket



LC 123

Dimension : L : 1830 mm | B : 760 mm | H : 800 mm

LAPAROSCOPY TROLLEY

SALIENT FEATURES

- Switch Control System
- Five Metal Trays
- Single Drawer
- Cylinder Backup
- 4" Swivel Castor & Epoxy Powder Coated



TR 124

Dimension : L : 780 mm | B : 660 mm | H : 1420 mm



MEDICINE TROLLEY

SALIENT FEATURES

- 40 No's PVC Small Bins
- Stainless Steel Tray
- 4" Swivel Castors
- Epoxy Powder Coated

TR 125

Dimension : L : 620 mm | B : 400 mm | H : 1420 mm



EMERGENCY DRUG TROLLEY

SALIENT FEATURES

- 8 PVC Drawers
- Stainless Steel Tray & Metal Drawer
- 4" Swivel Castors
- Epoxy Powder Coated



TR 126

Dimension : L : 670 mm | B : 400 mm | H : 900 mm



COMPONENT TROLLEY



SALIENT FEATURES

- 6 PVC Drawers
- 25 No's PVC Bins
- Single Stainless Steel Tray
- 4" Swivel Castors
- Epoxy Powder Coated

TR 127

Dimension : L : 670 mm | B : 400 mm | H : 1700 mm



CRASH CART TROLLEY



SALIENT FEATURES

- 6 PVC Drawers
- 5 No's PVC Bins
- Top & Bottom Stainless Steel Tray
- Attach to LV & Cylinder Provision
- 4" Swivel Castors
- Epoxy Powder Coated (or)
- Fully Stainless Steel

TR 128

Dimension : L : 670 mm | B : 400 mm | H : 1270 mm



THEATER DRUG TROLLEY



SALIENT FEATURES

- 30 No's PVC Small Bins
- 5 No's PVC Large Bins
- Two Stainless Steel Trays
- Two Metal Racks
- 4" Swivel Castors
- Epoxy Powder Coated

TR 129

Dimension : L : 670 mm | B : 400 mm | H : 1420 mm





LINEN TROLLEY

SALIENT FEATURES

- Fresh Linen Storage Cabinet
- Canvas Bag for Soil Linen
- 5" Swivel Castors
- Epoxy Powder Coated

TR 130

Dimension : L : 1220 mm | B : 610 mm | H : 800 mm



TR 131

WASH TROLLEY

SALIENT FEATURES

- Complete Stainless Steel
- One Trash Bin
- One Wash Bucket
- Provision for Mop
- Provision for Cleaning Agent

ECG TROLLEY DLX

SALIENT FEATURES

- 3 PVC Drawers
- Two Metal Trays
- Camera Holder
- 4" Swivel Castors
- Epoxy Powder Coated

TR 132

Dimension : L : 430 mm | B : 510 mm | H : 900 mm



TR 133

Dimension : L : 430 mm | B : 510 mm | H : 800 mm

ECG TROLLEY

SALIENT FEATURES

- Single Drawer
- Two Metal Trays
- Camera Holder
- 4" Swivel Castors
- Epoxy Powder Coated



INSTRUMENT TROLLEY



SALIENT FEATURES

- Complete Stainless Steel
- Two Shelves
- 4" Swivel Castors

TR 134

Dimension : L : 710 mm | B : 450 mm | H : 850 mm

INSTRUMENT TROLLEY

SALIENT FEATURES

- Complete Stainless Steel
- Three Shelves
- 4" Swivel Castors

TR 135

Dimension : L : 710 mm | B : 450 mm | H : 1120 mm



DRESSING TROLLEY

SALIENT FEATURES

- Complete Stainless Steel
- Three Shelves
- With Stainless Steel Bucket & Basin
- 4" Swivel Castors

TR 136

Dimension : L : 710 mm | B : 450 mm | H : 850 mm



MAYO'S TROLLEY

SALIENT FEATURES

- Complete Stainless Steel
- Single Tray
- Height Adjustable
- 2" Swivel Castors



TR 137



BED SIDE LOCKER DOUBLE DLX

SALIENT FEATURES

- Stainless Steel Top
- Two Cabinet with Door
- 2" Swivel Castors
- Epoxy Powder Coated

BSL 138

Dimension : L : 480 mm | B : 400 mm | H : 760 mm



BED SIDE LOCKER (IMP)

SALIENT FEATURES

- Cabinet with Door
- Single Drawer
- 2" Swivel Castors
- Complete Fibre Material

BSL 139



BED SIDE LOCKER DLX

SALIENT FEATURES

- Stainless Steel Top
- Cabinet With Door
- Single Drawer
- 2" Swivel Castors
- Epoxy Powder Coated

BSL 140

Dimension : L : 400 mm | B : 400 mm | H : 760 mm



BED SIDE LOCKER (ORD)

SALIENT FEATURES

- Stainless Steel Top
- Cabinet with Door
- Epoxy Powder Coated

BSL 141

Dimension : L : 400 mm | B : 400 mm | H : 760 mm





WHEEL CHAIR



WC 142

SALIENT FEATURES

- Foldable Foot Step
- Epoxy Powder Coated

BABY CRADLE

SALIENT FEATURES

- Complete Stainless Steel
- Structural Body



BC 143

OVER BED TABLE

SALIENT FEATURES

- Laminated Plywood Top
- Height Adjustable
- Single Liver System
- 2" Castors & Epoxy Powder Coated



OBT 144

Dimension : L : 760 mm | B : 350 mm | H : 710 to 950 mm

SALINE STAND

SALIENT FEATURES

- Stainless Steel (or)
- Powder Coated
- Height Adjustable



IV 145A



IV 145B



SCREEN



SALIENT FEATURES

- 3 Foldable Frame with Castors
- Epoxy Powder Coated

S 146

Dimension : L : 1220 mm | H : 1620 mm



REVOLVING STOOL



RS 147A



RS 147B



RS 147C

FOOT STEP



FS 148A (S.S)



FS 148B



FS 148C

WASH BASIN STAND



WBS 149



WBS 150

TOWEL STAND



TS 151



A GROUP OF SRILAKSHMI SURGICALS

ADDRESS:

**11/2 , THIRUPATHI NAGAR , 2 ND CROSS STREET,
KOLATHUR , CHENNAI - 600 099**

CONTACT :

**044- 2556 0492 / 1969 / 4861 0152
98401 31374 / 94440 60492**

MAIL ID:

**srilakshmisurgical@yahoo.com
curaplus2015@gmail.com**

WEBSITE:

WWW.CURAPLUS.IN